



Chairman's Message

A bird sitting on a tree is never afraid of the branch breaking because its trust is not in the branch but in its own Wings. It gives me immense pleasure to announce our new venture by the name "ASK Safe Glass" a state of art Glass Processing Unit, under our Tree SS Conmat Pvt. Ltd. SS Conmat Pvt. Ltd. was started in year 2014 with knowing the need of construction material requirement in the construction Industry. With more than three decades years of experience in Civil Contracting & a proper research we started 'Build Light' an AAC Brick Company at Halsavade. The plant is located in more than 6 Acres Premises. With the tag line "Committed to Excellence" my team has received a huge success in Brick Industry the plant is running with all its capacity, very soon we are going to increase our capacity of Brick Production. After the success of this factory, we decided to enter in to another segment of construction material i.e., Glass. A Semi Automated Pre-Processing Line of Toughened Glass Unit will be serving all your requirements of all kinds of Architectural Glass needs. Starting ASK Safe Glass was not possible without the contribution of my Team Members of Build Light, all my Vendors, Contractors, & my family members. I expect the same support from you all to make this small plant to grow in to a Big Tree. I am very confident that SS Conmat Pvt Ltd. will make its mark in all the segments of Construction Material Industry. I would like to conclude with the thought of Robert Frost

"The woods are lovely, dark and deep,
but I have promises to keep,
and miles to go before I sleep,
And miles to go before I sleep."



SS Conmat Pvt. Ltd.,
 Regd. Office- Atharva Plaza,
 Nr. Jawa Showroom, Kawala Naka,
 Kolhapur-416003
 Phone No.: 0231-265 7200
 Mob. No.: + 91 954 505 7200
 E-mail : sskonmat@gmail.com
 Web site : www.sskonmat.com



Build Light AAC Block
 Company Address:
 Gat No - 4, At/Post - Halsavde ,
 Tal - Karveer, Dist, Kolhapur,
 Maharashtra-416 202
 Mob. No.: +91 772 002 1707
 Email Id : sskonmat@gmail.com



ASK SAFE GLASS
 Company Address :
 B-84, Kagal Five Star MIDC,
 Kolhapur-416
 Phone No.: 0231-2657200
 Mob. No.: +91 954 567 7200,
 +91 954 509 7200
 Email Id : infoaskglass@gmail.com



- Toughened
- Lamination
- Insulating/
Double Glazed



A Perfect Solution for All Kinds of Etching & Architectural Glass Needs



Vision

To be recognized as the leading company globally in all sectors of Construction Material

Mission

To provide best Quality product OTIS to the customers at all time, with continuously developing our people skill through; advanced training opportunities to make our product & service world class.



Mission

JOURNEY OR TIME LINE OF SS CONMAT



Journey or Time line of SS Conmat

SS Conmat is a Specialist in manufacturing Construction Materialsuch as, AAC Blocks, Construction Adhesive Chemicals & Alltype of Architectural Glasses. The Company was started inthe year 2014 with an idea of providing cost effective, time savingeco-friendly product to construction industry i.e., AAC Blocks with brand name '**BUILD LIGHT**'. In addition to this our research team came up with another value-added product named '**COHERE**' Construction Adhesive Chemicals. After great success of these two 2022 our team decided to enter into anothersegment of construction material i.e., Glass. A deep research & team members support we come up with another Brand '**ASK Safe Glass**', where we provide solution for all types of Architectural Glass needs.

Double Glazing Units

DGU Glass or Double-glazing units comprise oftwo panes of glass that are separated with a spacer andfilled with gas or normal air in the gap between thetwo layers of the glass. The glass is further finished on thesides with sealant and is ready for installation. It is mostlyused for Heat, noise & light reduction.

Applications



Windows



Facades



Sky Lights

Automatic Insulating Glass

Item	Description	Parameter
01	Max. Glass Size	2500 * 3500 mm
02	Min. Glass Size	400* 200 mm
03	Single Glass thickness	3-16 mm
04	IGU Thickness	12-80 mm



Toughened Glass



Toughening increases tensile strength, safety, thermal & shock resistance quality of Normal Glass Toughening also increases its heat resisting capacity. Due to these properties of Toughened Glass, it is preferred in applications where Strength, Safety and Thermal Resistance is required Toughened glass is also used in buildings for unframed assemblies such as Glass Doors, Shower Cubical, Canopy, Spider Fittings Office Partitions & Facades etc. Tempered Glass is Eight time stronger where as heat strengthened glass can be three times stronger than annealed glass.

Toughened Glass Applications

Facade



Railing



Sensor Doors



Canopy



Automatic Insulating Glass

Item	Description	Parameter
01	Max. Loading Area	Flat Glass 2440 mm X 4200 mm (5-19mm) 2440mm X 1700 mm (4mm)
02	Min. Glass Size	150 mm X 350 mm
03	Glass Thickness Range	Clear Float Glass 4.0mm ~ 19mm Low-E Glass 4.0mm~19mm (E_0.01)


Shower Cubical



Office Partitions



Glass Etching



BUILD LIGHT



Advantages of Build Light

Product : AAC (Autoclaved Aerated Concrete) was invented in the mid – 1920s by the Swedish architect and inventor Johan Eriksson. It is a lightweight, precast building material that simultaneously provides structures insulation , fire and mold resistance. “BUILD LIGHT” is a unique and excellent type of building materials due to its superb heat, fire and sound resistance. “BUILD LIGHT” is lightweight and offers ultimate workability, flexibility and durability. The finished product is a 2.5 times lighter Block, compared to conventional Bricks, while providing the similar strength.



COHERE

ADVANTAGES & FEATURES

1. High strength
2. Easy application
3. Consistency
4. Minimum cracks
5. Minimum wastage
6. Higher coverage
7. Economical
8. Fine surface/texture
9. Ready mixed
10. Availability

To avoid material wastage, unnecessary human efforts, floor occupancy & times consumption in process of traditional site mix, COHERE plastering aid is the best salutation. COHERE plastering aid consist perfect mixture of cement, processed – graded sand with water soluble polymer additives; which just requires to add water in for plastering application.



Block Jointing Adhesive



Tile Adhesive And Joint Filler



Plastering Aids